

NEW

# MODA

A versatile recessed lighting solution available in three-, four-, and six-inch sizes, featuring customizable finishes, trims, lenses, and reflectors, with options for standard, sloped ceiling, and trimless installations, all with multi-voltage compatibility. Perfect for commercial or residential spaces.



COLOR SELECT



MULTI-WATTAGE



WET



SWIVEL/DIRECTIONAL



LOW-GLARE



UNIVERSAL DRIVER



CUSTOMIZE



IC RATED



T24 JA8 CERTIFIED

### EXPANDED FLEXIBILITY!

Now upgraded with a gimbal reflector and wall-wash trim, Moda adds 154 new configuration options for greater design flexibility.

### RC04-CC

#### DRIVER

Converts mains voltage (120V/277V/347V) to the appropriate current for the LEDs, featuring multiple dimming capabilities, including Triac and 0-10V dimming, for added flexibility.

#### LIGHT ENGINE

Includes an LED module, a heatsink for efficient cooling, a lens holder for light distribution, and a rotating dial at the top to select the color temperature.

#### REFLECTOR

Sits inside the trim. Available in three options: standard, sloped ceiling, and gimbal. Comes in four finishes: Alzak, black, gold, and white.

#### LENS


Sits below the light engine and shapes the light to create the desired beam angle. Available in 20°, 35°, and 60° angles.

#### TRIM


The visible part framing the light opening. Flanged trim has a defined edge, while trimless blends seamlessly with the ceiling. New wall-wash trims provide directional, wall-focused illumination.



**RC03-CC**



**RC04-CC**



**RC06-CC**



**ORDERING GUIDE**

Prefix	Light module	Beam angle	Reflector type	Reflector finish	Trim style
<b>RC</b>	<b>03-CC</b> 3" module/1000lm	<b>20</b> 20° narrow beam	<b>RG</b> Regular ceiling	<b>AZ</b> Alzak	<b>TL</b> Round trimless
	<b>04-CC</b> 4" module/2000lm	<b>35</b> 35° medium beam	<b>SL</b> Sloped ceiling	<b>BK</b> Black	<b>TBK</b> Round black trim
	<b>06-CC</b> 6" module/3000lm	<b>60</b> 60° wide beam	<b>GMB</b> Gimbal	<b>GD</b> Gold	<b>TGD</b> Round gold trim
				<b>WH</b> White	<b>TWH</b> Round white trim

**WW** Wall wash\*  
 The wall wash option integrates the reflector and trim into a single unit.

**BK** Black  
**WH** White

**RC**   **04-CC**   -   **20**   -   **RG**   -   **BK**   -   **TBK**

**RC04-CC-20-RGBK-TBK**



NEW

# MODA

A versatile recessed lighting solution available in three-, four-, and six-inch sizes, featuring customizable finishes, trims, lenses, and reflectors, with options for standard, sloped ceiling, and trimless installations, all with multi-voltage compatibility. Perfect for commercial or residential spaces.



COLOR SELECT



MULTI-WATTAGE



WET



SWIVEL/DIRECTIONAL



LOW-GLARE



UNIVERSAL DRIVER



CUSTOMIZE




IC RATED



T24 JA8 CERTIFIED



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage ⚡
RC03-CC	3"	8/10/12 W	1000 lm	90	2700, 3000, 3500, 4000, 5000 K	120 / 277 / 347V Triac and 0-10V dimming
RC04-CC	4"	16/20/24 W	2200 lm			
RC06-CC	6"	24/30/36 W	3000 lm			

**RC03-CC**Ø3-1/2" **RC04-CC**Ø4-1/4" **RC06-CC**Ø6" **Specifications**

Every fixture includes a junction box with integrated dimmable driver

Multi-watt output allows you to choose from three wattage settings for customizable brightness directly on the jbox

Can be daisy chained

Aluminum construction

Rotary dial CCT switch

20°, 35°, or 60° beam angles

40° tilting, 360° rotation

5-year warranty

**Accessories**

**RFP-35**  
Rough-in plate for 3" model

**RFP-46**  
Rough-in plate for 4" models

**RFP-UNI**  
Rough-in plate for 4" models

**RFP-RC06**  
Rough-in plate for 6" models

**REC-CC-EXT8FT**  
8-foot extension cable

**REC-CC-EXT20FT**  
20-foot extension cable

**Note**

Other color temperatures, finishes, and voltage options are available but may require minimum order quantities (MOQs) and longer lead times. Please contact your DALI representative for more information.